

## Contents

|   |           |
|---|-----------|
| Preface   | v         |
| Preface to the Third Edition  | vii       |
| Preface to the Second Edition   | viii      |
| Preface to the First Edition  | ix        |
| <b>1 Introduction</b>   | <b>1</b>  |
| <b>I GENERAL THEORY OF OPEN QUANTUM SYSTEMS</b>                             | <b>5</b>  |
| <b>2 Diverse limited approaches: a brief survey</b>                         | <b>5</b>  |
| 2.1 Langevin equation for a damped classical system . . . . .               | 5         |
| 2.2 New schemes of quantization . . . . .                                   | 7         |
| 2.3 Traditional system-plus-reservoir methods . . . . .                     | 8         |
| 2.3.1 Quantum-mechanical master equations for weak coupling . . . . .       | 8         |
| 2.3.2 Lindblad theory . . . . .   | 11        |
| 2.3.3 Operator Langevin equations for weak coupling . . . . .               | 13        |
| 2.3.4 Generalized quantum Langevin equation . . . . .                       | 14        |
| 2.3.5 Generalized quasiclassical Langevin equation . . . . .                | 15        |
| 2.3.6 Phenomenological methods . . . . .                                    | 16        |
| 2.4 Stochastic dynamics in Hilbert space . . . . .                          | 16        |
| <b>3 System-plus-reservoir models</b>                                       | <b>19</b> |
| 3.1 Harmonic oscillator bath with linear coupling . . . . .                 | 20        |
| 3.1.1 The Hamiltonian of the global system . . . . .                        | 20        |
| 3.1.2 The road to generalized Langevin equations . . . . .                  | 23        |
| 3.1.3 Phenomenological modeling of friction . . . . .                       | 24        |
| 3.1.4 Quantum statistical properties of the stochastic force . . . . .      | 26        |
| 3.1.5 Displacement correlation function . . . . .                           | 28        |
| 3.1.6 Thermal propagator and imaginary-time correlations . . . . .          | 29        |
| 3.1.7 Ohmic and frequency-dependent damping . . . . .                       | 30        |
| 3.1.8 Fractional Langevin equation . . . . .                                | 33        |
| 3.1.9 Rubin model . . . . .   | 34        |
| 3.1.10 Interaction of a charged particle with the radiation field . . . . . | 36        |

|          |  |           |
|----------|--|-----------|
| 3.2      | Ergodicity . . . . .   | 37        |
| 3.3      | The spin-boson model . . . . .                                   | 40        |
| 3.3.1    | The model Hamiltonian . . . . .                                  | 40        |
| 3.3.2    | Flux and charge qubits: reduction to the spin-boson model . .    | 44        |
| 3.4      | Microscopic models . . . . .                                     | 48        |
| 3.4.1    | Acoustic polaron: one-phonon and two-phonon coupling . . . .     | 49        |
| 3.4.2    | Optical polaron . . . . .  | 51        |
| 3.4.3    | Interaction with fermions (normal and superconducting) . . . .   | 53        |
| 3.4.4    | Superconducting tunnel junction . . . . .                        | 56        |
| 3.5      | Charging and environmental effects in tunnel junctions . . . . . | 57        |
| 3.5.1    | The global system for single electron tunneling . . . . .        | 58        |
| 3.5.2    | Resistor, inductor, and transmission lines . . . . .             | 63        |
| 3.5.3    | Charging effects in junctions . . . . .                          | 64        |
| 3.6      | Nonlinear quantum environments . . . . .                         | 65        |
| <b>4</b> | <b>Imaginary-time approach and equilibrium dynamics</b>          | <b>68</b> |
| 4.1      | General concepts . . . . .                                       | 68        |
| 4.1.1    | Density matrix and reduced density matrix . . . . .              | 68        |
| 4.1.2    | Imaginary-time path integral . . . . .                           | 70        |
| 4.2      | Effective action and equilibrium density matrix . . . . .        | 72        |
| 4.2.1    | Open system with bilinear coupling to a harmonic reservoir . .   | 73        |
| 4.2.2    | State-dependent memory friction . . . . .                        | 78        |
| 4.2.3    | Spin-boson model . . . . .                                       | 78        |
| 4.2.4    | Acoustic polaron and defect tunneling: one-phonon coupling .     | 80        |
| 4.2.5    | Acoustic polaron: two-phonon coupling . . . . .                  | 85        |
| 4.2.6    | Tunneling between surfaces: one-phonon coupling . . . . .        | 87        |
| 4.2.7    | Optical polaron . . . . .  | 89        |
| 4.2.8    | Heavy particle in a metal . . . . .                              | 90        |
| 4.2.9    | Heavy particle in a superconductor . . . . .                     | 96        |
| 4.2.10   | Effective action of a junction . . . . .                         | 98        |
| 4.2.11   | Electromagnetic environment . . . . .                            | 105       |
| 4.3      | Partition function of the open system . . . . .                  | 106       |
| 4.3.1    | General path integral expression . . . . .                       | 106       |
| 4.3.2    | Semiclassical approximation . . . . .                            | 106       |
| 4.3.3    | Partition function of the damped harmonic oscillator . . . . .   | 108       |
| 4.3.4    | Functional measure in Fourier space . . . . .                    | 109       |
| 4.3.5    | Partition function of the damped harmonic oscillator revisited   | 109       |
| 4.4      | Quantum statistical expectation values in phase space . . . . .  | 112       |
| 4.4.1    | Generalized Weyl correspondence . . . . .                        | 112       |
| 4.4.2    | Generalized Wigner function and expectation values . . . . .     | 114       |

|  |            |
|--|------------|
| <b>5 Real-time path integrals and nonequilibrium dynamics</b>                | <b>116</b> |
| 5.1 Statement of the problem and general concepts . . . . .                  | 116        |
| 5.2 Feynman-Vernon method for a product initial state . . . . .              | 118        |
| 5.3 Decoherence and friction . . . . .                                       | 123        |
| 5.4 General initial states and preparation function . . . . .                | 125        |
| 5.5 Complex-time path integral for the propagating function . . . . .        | 126        |
| 5.6 Real-time path integral for the propagating function . . . . .           | 128        |
| 5.7 Closed time contour representation . . . . .                             | 130        |
| 5.7.1 Complex-time path . . . . .  | 131        |
| 5.7.2 Real-time path . . . . .   | 133        |
| 5.8 Semiclassical regime . . . . .   | 133        |
| 5.8.1 Extremal paths . . . . .   | 133        |
| 5.8.2 Quasiclassical Langevin equation . . . . .                             | 134        |
| 5.9 Stochastic unraveling of influence functionals . . . . .                 | 137        |
| 5.10 Non-Markovian dissipative dynamics in the semiclassical limit . . . . . | 140        |
| 5.10.1 Van Vleck and Herman-Kluk propagator . . . . .                        | 140        |
| 5.10.2 Semiclassical dissipative dynamics . . . . .                          | 141        |
| 5.11 Brief summary and outlook . . . . .                                     | 142        |
| <b>II MISCELLANEOUS APPLICATIONS</b>   | <b>143</b> |
| <b>6 Damped linear quantum mechanical oscillator</b>                         | <b>143</b> |
| 6.1 Fluctuation-dissipation theorem . . . . .                                | 144        |
| 6.2 Stochastic modeling . . . . .  | 148        |
| 6.3 Susceptibility . . . . .   | 150        |
| 6.3.1 Ohmic friction . . . . .   | 150        |
| 6.3.2 Ohmic friction with Drude cutoff . . . . .                             | 151        |
| 6.3.3 Radiation damping . . . . .  | 152        |
| 6.4 The position autocorrelation function . . . . .                          | 153        |
| 6.4.1 Ohmic friction . . . . .   | 154        |
| 6.4.2 Non-Ohmic spectral density . . . . .                                   | 156        |
| 6.4.3 Shiba relation . . . . .   | 158        |
| 6.5 Partition function and implications . . . . .                            | 158        |
| 6.5.1 Partition function . . . . .   | 158        |
| 6.5.2 Internal energy, free energy, and entropy . . . . .                    | 159        |
| 6.5.3 Specific heat and Wilson ratio . . . . .                               | 162        |
| 6.5.4 Spectral density of states . . . . .                                   | 163        |
| 6.6 Mean square of position and momentum . . . . .                           | 165        |
| 6.6.1 General expressions for colored noise . . . . .                        | 165        |
| 6.6.2 Ohmic friction . . . . .   | 167        |
| 6.6.3 Ohmic friction with Drude cutoff . . . . .                             | 168        |
| 6.7 Equilibrium density matrix . . . . .                                     | 170        |

|          |   |            |
|----------|---|------------|
| 6.7.1    | Derivation of the action . . . . .                                    | 170        |
| 6.7.2    | Purity . . . . .  | 172        |
| 6.8      | Quantum master equations for the reduced density matrix . . . . .     | 174        |
| 6.8.1    | Thermal initial condition . . . . .                                   | 175        |
| 6.8.2    | Product initial state . . . . .                                       | 176        |
| 6.8.3    | Approximate time-independent Liouville operators . . . . .            | 177        |
| 6.8.4    | Connection with Lindblad theory . . . . .                             | 178        |
| <b>7</b> | <b>Quantum Brownian free motion</b>                                   | <b>178</b> |
| 7.1      | Spectral density, damping function and mass renormalization . . . . . | 179        |
| 7.2      | Displacement correlation and response function . . . . .              | 181        |
| 7.3      | Ohmic friction . . . . .  | 182        |
| 7.3.1    | Response function . . . . .   | 182        |
| 7.3.2    | Mean square displacement . . . . .                                    | 183        |
| 7.3.3    | Momentum spread . . . . .   | 184        |
| 7.4      | Frequency-dependent friction . . . . .                                | 185        |
| 7.4.1    | Response function and mobility . . . . .                              | 185        |
| 7.4.2    | Mean square displacement . . . . .                                    | 187        |
| 7.5      | Partition function and thermodynamic properties . . . . .             | 190        |
| 7.5.1    | Partition function . . . . .  | 190        |
| 7.5.2    | Internal and free energy . . . . .                                    | 190        |
| 7.5.3    | Specific heat . . . . .   | 192        |
| 7.5.4    | Spectral density of states . . . . .                                  | 194        |
| <b>8</b> | <b>The thermodynamic variational approach</b>                         | <b>195</b> |
| 8.1      | Centroid and the effective classical potential . . . . .              | 195        |
| 8.1.1    | Centroid . . . . .  | 195        |
| 8.1.2    | The effective classical potential . . . . .                           | 196        |
| 8.2      | Variational method . . . . .  | 197        |
| 8.2.1    | Variational method for the free energy . . . . .                      | 198        |
| 8.2.2    | Variational method for the effective classical potential . . . . .    | 198        |
| 8.2.3    | Variational perturbation theory . . . . .                             | 202        |
| 8.2.4    | Expectation values in coordinate and phase space . . . . .            | 204        |
| <b>9</b> | <b>Suppression of quantum coherence</b>                               | <b>206</b> |
| 9.1      | Nondynamical versus dynamical environment . . . . .                   | 207        |
| 9.2      | Suppression of transversal and longitudinal interferences . . . . .   | 208        |
| 9.3      | Decoherence in the semiclassical picture . . . . .                    | 210        |
| 9.3.1    | A model with localized bath modes . . . . .                           | 210        |
| 9.3.2    | Dephasing rate formula . . . . .                                      | 211        |
| 9.3.3    | Statistical average of paths . . . . .                                | 213        |
| 9.3.4    | Ballistic motion . . . . .  | 213        |
| 9.3.5    | Diffusive motion . . . . .  | 215        |

|   |            |
|---|------------|
| 9.4 Decoherence of electrons . . . . .                            | 216        |
| <b>III QUANTUM STATISTICAL DECAY</b>                              | <b>221</b> |
| <b>10 Introduction</b>  | <b>221</b> |
| <b>11 Classical rate theory: a brief overview</b>                 | <b>224</b> |
| 11.1 Classical transition state theory . . . . .                  | 224        |
| 11.2 Moderate-to-strong-damping regime . . . . .                  | 225        |
| 11.3 Strong damping regime . . . . .                              | 227        |
| 11.4 Weak-damping regime . . . . .                                | 229        |
| <b>12 Quantum rate theory: basic methods</b>                      | <b>231</b> |
| 12.1 Formal rate expressions in terms of flux operators . . . . . | 232        |
| 12.2 Quantum transition state theory . . . . .                    | 233        |
| 12.3 Semiclassical limit . . . . .                                | 234        |
| 12.4 Quantum tunneling regime . . . . .                           | 237        |
| 12.5 Free energy method . . . . .                                 | 240        |
| 12.6 Centroid method . . . . .                                    | 245        |
| <b>13 Multidimensional quantum rate theory</b>                    | <b>246</b> |
| 13.1 The global metastable potential . . . . .                    | 246        |
| 13.2 Periodic orbit and bounce . . . . .                          | 247        |
| <b>14 Crossover from thermal to quantum decay</b>                 | <b>250</b> |
| 14.1 Normal mode analysis at the barrier top . . . . .            | 250        |
| 14.2 Turnover theory for activated rate processes . . . . .       | 252        |
| 14.3 The crossover temperature . . . . .                          | 256        |
| <b>15 Thermally activated decay</b>                               | <b>258</b> |
| 15.1 Rate formula above the crossover regime . . . . .            | 258        |
| 15.2 Quantum corrections in the pre-exponential factor . . . . .  | 260        |
| 15.3 The quantum Smoluchowski equation approach . . . . .         | 262        |
| 15.4 Multidimensional quantum transition state theory . . . . .   | 264        |
| <b>16 The crossover region</b>                                    | <b>267</b> |
| 16.1 Beyond steepest descent above $T_0$ . . . . .                | 268        |
| 16.2 Beyond steepest descent below $T_0$ . . . . .                | 270        |
| 16.3 The scaling region . . . . .                                 | 273        |

|  |            |
|--|------------|
| <b>17 Dissipative quantum tunneling</b>                                  | <b>275</b> |
| 17.1 The quantum rate formula . . . . .                                  | 275        |
| 17.2 Thermal enhancement of macroscopic quantum tunneling . . . . .      | 278        |
| 17.3 Quantum decay in a cubic potential for Ohmic friction . . . . .     | 279        |
| 17.3.1 Bounce action and quantum mechanical prefactor . . . . .          | 280        |
| 17.3.2 Analytic results for strong Ohmic dissipation . . . . .           | 281        |
| 17.4 Quantum decay in a tilted cosine potential . . . . .                | 283        |
| 17.4.1 The case of weak bias . . . . .                                   | 288        |
| 17.5 Concluding remarks . . . . .  | 290        |
| <b>IV THE DISSIPATIVE TWO-STATE SYSTEM</b>                               | <b>293</b> |
| <b>18 Introduction</b>   | <b>293</b> |
| 18.1 Truncation of the double-well to the two-state system . . . . .     | 295        |
| 18.1.1 Shifted oscillators and orthogonality catastrophe . . . . .       | 295        |
| 18.1.2 Adiabatic renormalization . . . . .                               | 297        |
| 18.1.3 Instanton in a double parabolic well . . . . .                    | 299        |
| 18.1.4 Renormalized tunneling matrix element . . . . .                   | 301        |
| 18.1.5 Polaron transformation . . . . .                                  | 303        |
| 18.2 Pair interaction in the charge picture . . . . .                    | 304        |
| 18.2.1 Analytic expression for spectral density with any power $s$ . . . | 304        |
| 18.2.2 Ohmic dissipation and universality limit . . . . .                | 305        |
| <b>19 Thermodynamics</b>   | <b>306</b> |
| 19.1 Partition function and specific heat . . . . .                      | 306        |
| 19.1.1 Exact formal expression for the partition function . . . . .      | 306        |
| 19.1.2 Static susceptibility and specific heat . . . . .                 | 308        |
| 19.1.3 The self-energy method . . . . .                                  | 309        |
| 19.1.4 The limit of high temperatures . . . . .                          | 311        |
| 19.1.5 Noninteracting–kink-pair approximation . . . . .                  | 312        |
| 19.1.6 Weak-damping limit . . . . .                                      | 313        |
| 19.1.7 The self-energy method revisited: partial resummation . . . .     | 315        |
| 19.2 Ohmic dissipation . . . . .   | 316        |
| 19.2.1 Specific heat and Wilson ratio . . . . .                          | 316        |
| 19.2.2 The special case $K = \frac{1}{2}$ . . . . .                      | 318        |
| 19.3 Non-Ohmic spectral densities . . . . .                              | 322        |
| 19.3.1 The sub-Ohmic case . . . . .                                      | 322        |
| 19.3.2 The super-Ohmic case . . . . .                                    | 323        |
| 19.4 Relation between the Ohmic TSS and the Kondo model . . . . .        | 324        |
| 19.4.1 Anisotropic Kondo model . . . . .                                 | 324        |
| 19.4.2 Resonance level model . . . . .                                   | 326        |
| 19.5 Equivalence of the Ohmic TSS with the $1/r^2$ Ising model . . . . . | 327        |

|  |            |
|--|------------|
| <b>20 Electron transfer and incoherent tunneling</b>                                   | <b>329</b> |
| 20.1 Electron transfer . . . . .   | 329        |
| 20.1.1 Adiabatic bath . . . . .  | 330        |
| 20.1.2 Marcus theory for electron transfer . . . . .                                   | 333        |
| 20.2 Incoherent tunneling in the nonadiabatic regime . . . . .                         | 336        |
| 20.2.1 General expressions for the nonadiabatic rate . . . . .                         | 337        |
| 20.2.2 Probability for energy exchange: general results . . . . .                      | 338        |
| 20.2.3 The spectral probability density for absorption at $T = 0$ . . . . .            | 341        |
| 20.2.4 Crossover from quantum-mechanical to classical behavior . . . . .               | 343        |
| 20.2.5 The Ohmic case . . . . .  | 346        |
| 20.2.6 Exact nonadiabatic rates for $K = \frac{1}{2}$ and $K = 1$ . . . . .            | 349        |
| 20.2.7 The sub-Ohmic case ( $0 < s < 1$ ) . . . . .                                    | 350        |
| 20.2.8 The super-Ohmic case ( $s > 1$ ) . . . . .                                      | 351        |
| 20.2.9 Incoherent defect tunneling in metals . . . . .                                 | 354        |
| 20.3 Single charge tunneling . . . . .   | 356        |
| 20.3.1 Weak-tunneling regime . . . . .   | 357        |
| 20.3.2 The current-voltage characteristics . . . . .                                   | 361        |
| 20.3.3 Weak tunneling of 1D interacting electrons . . . . .                            | 363        |
| 20.3.4 Tunneling of Cooper pairs . . . . .   | 364        |
| 20.3.5 Tunneling of quasiparticles . . . . .   | 366        |
| <b>21 Two-state dynamics: basics and methods</b>                                       | <b>367</b> |
| 21.1 Initial preparation, expectation values, and correlations . . . . .               | 368        |
| 21.1.1 Product initial state . . . . .   | 368        |
| 21.1.2 Thermal initial state . . . . .   | 371        |
| 21.2 Exact formal expressions for the system dynamics . . . . .                        | 374        |
| 21.2.1 Sojourns and blips . . . . .  | 374        |
| 21.2.2 Conditional propagating functions . . . . .                                     | 377        |
| 21.2.3 The expectation values $\langle \sigma_j \rangle_t$ ( $j = x, y, z$ ) . . . . . | 378        |
| 21.2.4 Correlation and response function of the populations . . . . .                  | 380        |
| 21.2.5 Correlation and response function of the coherences . . . . .                   | 382        |
| 21.2.6 Generalized exact master equation and integral relations . . . . .              | 383        |
| 21.3 The noninteracting-blip approximation (NIBA) . . . . .                            | 386        |
| 21.3.1 Assumptions . . . . .   | 386        |
| 21.3.2 Limitations . . . . .   | 388        |
| 21.4 The interacting-blip chain approximation (IBCA) . . . . .                         | 389        |
| <b>22 Two-state dynamics: sundry topics</b>  | <b>392</b> |
| 22.1 Symmetric TSS in the NIBA . . . . .   | 392        |
| 22.1.1 Ohmic scaling limit . . . . .   | 392        |
| 22.1.2 The super-Ohmic case . . . . .  | 396        |
| 22.2 White-noise regime . . . . .  | 399        |
| 22.2.1 Power spectrum of the stochastic force . . . . .                                | 399        |

|   |            |
|---|------------|
| 22.2.2 Symmetric Ohmic TSS at moderate-to-high temperature . . . . .                      | 400        |
| 22.2.3 Biased Ohmic TSS at moderate-to-high temperature . . . . .                         | 402        |
| 22.3 Weak quantum noise in the biased TSS . . . . .                                       | 406        |
| 22.3.1 The one-boson self-energy . . . . .  | 407        |
| 22.3.2 Populations and coherences (super-Ohmic and Ohmic) . . . . .                       | 409        |
| 22.4 Pure dephasing . . . . .   | 411        |
| 22.5 $1/f$ noise and decoherence . . . . .  | 414        |
| 22.5.1 $1/f$ noise from fluctuating background charges . . . . .                          | 414        |
| 22.5.2 $1/f$ noise from coherent two-level systems . . . . .                              | 415        |
| 22.5.3 Decoherence from $1/f$ noise . . . . .   | 416        |
| 22.6 The Ohmic TSS at and close to the Toulouse point . . . . .                           | 417        |
| 22.6.1 Grand-canonical sums of collapsed blips and sojourns . . . . .                     | 417        |
| 22.6.2 The expectation value $\langle \sigma_z \rangle_t$ for $K = \frac{1}{2}$ . . . . . | 419        |
| 22.6.3 The case $K = \frac{1}{2} - \kappa$ ; coherent-incoherent crossover . . . . .      | 420        |
| 22.6.4 Equilibrium $\sigma_z$ autocorrelation function . . . . .                          | 421        |
| 22.6.5 Equilibrium $\sigma_x$ autocorrelation function . . . . .                          | 426        |
| 22.6.6 Correlation functions in the Toulouse model . . . . .                              | 428        |
| 22.7 Long-time behavior at $T = 0$ for $K < 1$ : general discussion . . . . .             | 429        |
| 22.7.1 The populations . . . . .  | 430        |
| 22.7.2 The population correlations and Shiba relation . . . . .                           | 430        |
| 22.7.3 The coherence correlation function . . . . .                                       | 432        |
| 22.8 From weak to strong tunneling: relaxation and decoherence . . . . .                  | 433        |
| 22.8.1 Incoherent tunneling beyond the nonadiabatic limit . . . . .                       | 433        |
| 22.8.2 Decoherence at zero temperature: analytic results . . . . .                        | 436        |
| 22.9 Thermodynamics from dynamics . . . . .   | 438        |
| <b>23 The driven two-state system</b>   | <b>440</b> |
| 23.1 Time-dependent external fields . . . . .   | 441        |
| 23.1.1 Diagonal and off-diagonal driving . . . . .  | 441        |
| 23.1.2 Exact formal solution . . . . .  | 442        |
| 23.1.3 Linear response . . . . .  | 444        |
| 23.1.4 The Ohmic case with Kondo parameter $K = \frac{1}{2}$ . . . . .                    | 444        |
| 23.2 Markovian regime . . . . .   | 445        |
| 23.3 High-frequency regime . . . . .  | 446        |
| 23.4 Quantum stochastic resonance . . . . .   | 449        |
| 23.5 Driving-induced symmetry breaking . . . . .  | 451        |
| <b>V THE DISSIPATIVE MULTI-STATE SYSTEM</b>   | <b>453</b> |
| <b>24 Quantum Brownian particle in a washboard potential</b>                              | <b>453</b> |
| 24.1 Introduction . . . . .   | 453        |
| 24.2 Weak- and tight-binding representation . . . . .                                     | 454        |

|   |            |
|---|------------|
| <b>25 Multi-state dynamics</b>  | <b>456</b> |
| 25.1 Quantum transport and quantum-statistical fluctuations . . . . .               | 456        |
| 25.1.1 Product initial state . . . . .  | 456        |
| 25.1.2 Characteristic functions of moments and cumulants . . . . .                  | 456        |
| 25.1.3 Thermal initial state and correlation functions . . . . .                    | 457        |
| 25.2 Poissonian quantum transport . . . . .   | 459        |
| 25.2.1 Incoherent nearest-neighbor transitions (weak tunneling) . .                 | 459        |
| 25.2.2 The general case (strong tunneling) . . . . .                                | 460        |
| 25.3 Exact formal expressions for the system dynamics . . . . .                     | 462        |
| 25.3.1 Product initial state . . . . .  | 464        |
| 25.3.2 Thermal initial state . . . . .  | 466        |
| 25.4 Mobility and Diffusion . . . . .   | 468        |
| 25.4.1 Exact formal series expressions for transport coefficients . .               | 468        |
| 25.4.2 Einstein relation . . . . .  | 470        |
| 25.5 The Ohmic case . . . . .   | 471        |
| 25.5.1 Weak-tunneling regime . . . . .  | 472        |
| 25.5.2 Weak-damping limit . . . . .   | 472        |
| 25.6 Exact solution in the Ohmic scaling limit at $K = \frac{1}{2}$ . . . . .       | 474        |
| 25.6.1 Current and mobility . . . . .   | 475        |
| 25.6.2 Diffusion and skewness . . . . .   | 477        |
| 25.7 The effects of a thermal initial state . . . . .                               | 479        |
| 25.7.1 Mean position and variance . . . . .   | 479        |
| 25.7.2 Linear response . . . . .  | 480        |
| 25.7.3 The exactly solvable case $K = \frac{1}{2}$ . . . . .                        | 482        |
| <b>26 Duality symmetry</b>  | <b>483</b> |
| 26.1 Duality for general spectral density . . . . .                                 | 483        |
| 26.1.1 The map between the TB and WB Hamiltonian . . . . .                          | 484        |
| 26.1.2 Frequency-dependent linear mobility . . . . .                                | 487        |
| 26.1.3 Nonlinear static mobility . . . . .  | 488        |
| 26.2 Self-duality in the exactly solvable cases $K = \frac{1}{2}$ and $K = 2$ . . . | 490        |
| 26.2.1 Full counting statistics at $K = \frac{1}{2}$ . . . . .                      | 490        |
| 26.2.2 Full counting statistics at $K = 2$ . . . . .                                | 492        |
| 26.3 Duality and supercurrent in Josephson junctions . . . . .                      | 495        |
| 26.3.1 Charge-phase duality . . . . .   | 495        |
| 26.3.2 Supercurrent-voltage characteristics for $\rho \ll 1$ . . . . .              | 498        |
| 26.3.3 Supercurrent-voltage characteristics at $\rho = \frac{1}{2}$ . . . . .       | 499        |
| 26.3.4 Supercurrent-voltage characteristics at $\rho = 2$ . . . . .                 | 499        |
| 26.4 Self-duality in the Ohmic scaling limit . . . . .                              | 500        |
| 26.4.1 Linear mobility at finite $T$ . . . . .                                      | 500        |
| 26.4.2 Nonlinear mobility at $T = 0$ . . . . .                                      | 502        |
| 26.5 Exact scaling function at $T = 0$ for arbitrary $K$ . . . . .                  | 504        |

|  |            |
|--|------------|
| 26.5.1 Construction of the self-dual scaling solution . . . . .                        | 504        |
| 26.5.2 Supercurrent-voltage characteristics at $T = 0$ for arbitrary $\rho$ . . . . .  | 507        |
| 26.5.3 Connection with Seiberg-Witten theory . . . . .                                 | 507        |
| 26.5.4 Special limits . . . . .  | 509        |
| 26.6 Full counting statistics at zero temperature . . . . .                            | 510        |
| 26.7 Low temperature behavior of the characteristic function . . . . .                 | 512        |
| <b>27 Twisted partition function and nonlinear mobility</b>                            | <b>514</b> |
| 27.1 Solving the imaginary-time Coulomb gas with Jack polynomials . . . . .            | 514        |
| 27.2 Nonlinear mobility . . . . .  | 517        |
| 27.2.1 Strong barrier limit . . . . .  | 518        |
| 27.2.2 The case $K \ll 1$ . . . . .  | 519        |
| 27.2.3 The limit $T \rightarrow 0$ . . . . .   | 520        |
| <b>28 Charge transport in quantum impurity systems</b>                                 | <b>521</b> |
| 28.1 Generic models for transmission of charge through barriers . . . . .              | 521        |
| 28.1.1 The Tomonaga-Luttinger liquid . . . . .   | 522        |
| 28.1.2 Charge transport through a single weak barrier . . . . .                        | 523        |
| 28.1.3 Charge transport through a single strong barrier . . . . .                      | 525        |
| 28.1.4 Coherent conductor in an Ohmic environment . . . . .                            | 526        |
| 28.1.5 Equivalence with quantum transport in a washboard potential                     | 528        |
| 28.2 Self-duality between weak and strong tunneling . . . . .                          | 529        |
| 28.3 Full counting statistics of charge transfer . . . . .                             | 530        |
| 28.3.1 Charge transport at low temperature for arbitrary $g$ . . . . .                 | 530        |
| 28.3.2 Full counting statistics at $g = \frac{1}{2}$ and general temperature . . . . . | 533        |
| <b>29 Quantum transport for sub- and super-Ohmic friction</b>                          | <b>533</b> |
| 29.1 Tight-binding representation . . . . .  | 534        |
| 29.1.1 Sub-Ohmic friction . . . . .  | 536        |
| 29.1.2 Super-Ohmic friction . . . . .  | 537        |
| 29.2 Weak-binding representation . . . . .   | 537        |
| 29.2.1 Super-Ohmic friction . . . . .  | 538        |
| 29.2.2 Sub-Ohmic friction . . . . .  | 538        |
| <b>Bibliography</b>  | <b>539</b> |
| <b>Index</b>   | <b>561</b> |